


AD-A269 117




USAARL Report No. 93-26



**Analysis of Seating and Restraint Limitations  
Restricting Total Body Weight  
for Aircrew and Passengers  
on U.S. Army Helicopters**

By

James E. Bruckart  
Joseph R. Licina  
Samuel G. Shannon



Impact, Protection, and Tolerance Division

and

Joseph L. Haley, Jr.  
SAIC, Inc.

July 1993

80 7 20 031

Approved for public release; distribution unlimited.



93-21015

23 pg

United States Army Aeromedical Research Laboratory  
Fort Rucker, Alabama 36362-5292

## Notice

### Qualified requesters

Qualified requesters may obtain copies from the Defense Technical Information Center (DTIC), Cameron Station, Alexandria, Virginia 22314. Orders will be expedited if placed through the librarian or other person designated to request documents from DTIC.

### Change of address

Organizations receiving reports from the U.S. Army Aeromedical Research Laboratory on automatic mailing lists should confirm correct address when corresponding about laboratory reports.


### Disposition

Destroy this document when it is no longer needed. Do not return it to the originator.


### Disclaimer


The views, opinions, and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy, or decision, unless so designated by other official documentation. Citation of trade names in this report does not constitute an official Department of the Army endorsement or approval of the use of such commercial items.

Reviewed:

  
JOHN V. BARSON  
LTC, MC, SFS  
Director, Impact, Tolerance,  
and Protection Division

Released for publication:

  
ROGER W. WILEY, D.D., Ph.D.  
Chairman, Scientific  
Review Committee

  
DAVID H. KARNEY  
Colonel, MC, SFS  
Commanding

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE

REPORT DOCUMENTATION PAGE				Form Approved OMB No. 0704-0188	
1a. REPORT SECURITY CLASSIFICATION Unclassified			1b. RESTRICTIVE MARKINGS		
2a. SECURITY CLASSIFICATION AUTHORITY			3. DISTRIBUTION/AVAILABILITY OF REPORT Approved for public release, distribution unlimited		
2b. DECLASSIFICATION/DOWNGRADING SCHEDULE					
4. PERFORMING ORGANIZATION REPORT NUMBER(S) USAARL Report No. 93-26			5. MONITORING ORGANIZATION REPORT NUMBER(S)		
6a. NAME OF PERFORMING ORGANIZATION U.S. Army Aeromedical Research Laboratory		6b. OFFICE SYMBOL (If applicable) SGRD-UAD-IE	7a. NAME OF MONITORING ORGANIZATION U.S. Army Medical Research and Development Command		
6c. ADDRESS (City, State, and ZIP Code) P.O. Box 620577 Fort Rucker, AL 36362-0577			7b. ADDRESS (City, State, and ZIP Code) Fort Detrick Frederick, MD 21702-5012		
8a. NAME OF FUNDING/SPONSORING ORGANIZATION		8b. OFFICE SYMBOL (If applicable)	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER		
8c. ADDRESS (City, State, and ZIP Code)			10. SOURCE OF FUNDING NUMBERS		
PROGRAM ELEMENT NO. 0602787A		PROJECT NO. 3M162787A8	TASK NO. 8 AG	WORK UNIT ACCESSION NO. 138	
11. TITLE (Include Security Classification) Analysis of seating and restraint limitations restricting total body weight for aircrew and passengers on U.S. Army helicopters					
12. PERSONAL AUTHOR(S) James E. Bruckart, Joseph R. Licina, S. G. Shannon, and J. L. Haley, Jr.					
13a. TYPE OF REPORT		13b. TIME COVERED FROM _____ TO _____	14. DATE OF REPORT (Year, Month, Day) 1993 July		15. PAGE COUNT 13
16. SUPPLEMENTARY NOTATION					
17. COSATI CODES			18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)		
FIELD	GROUP	SUB-GROUP	Aviation Life Support Equipment, restraint, aircrew, helicopters, aircraft seats, survival vest		
23	05				
01	03				
19. ABSTRACT (Continue on reverse if necessary and identify by block number)					
<p>Aviation Life Support Equipment (ALSE) and crashworthy seating protect the crew and passengers in military aircraft. If the user exceeds the design weight or size range for personal protective equipment, it may not function properly. The distribution and changes in body weight and relevant anthropometric measures were evaluated for soldier and aviator groups. Current ALSE and aircraft restraints were surveyed to determine the largest available sizes. Each aircraft seat was evaluated to determine the crash strength and maximum allowable weight for a given crash pulse.</p> <p>The 99th percentile male soldier and aviator weigh 237.5 and 228.2 pounds, respectively. The average body weight increases with age for the male aviator population. The largest available flight suit (size 48L), SRU-21/P survival vest, and webbing restraints accommodate a 47-inch waist circumference.</p>					
20. DISTRIBUTION/AVAILABILITY OF ABSTRACT <input type="checkbox"/> UNCLASSIFIED/UNLIMITED <input type="checkbox"/> SAME AS RPT. <input type="checkbox"/> DTIC USERS			21. ABSTRACT SECURITY CLASSIFICATION		
22a. NAME OF RESPONSIBLE INDIVIDUAL			22b. TELEPHONE (Include Area Code)		22c. OFFICE SYMBOL

# Table of contents

	Page
List of figures . . . . .	2
List of tables . . . . .	2
Introduction . . . . .	3
Background . . . . .	3
Materials and methods . . . . .	5
Results . . . . .	6
Discussion . . . . .	8
Summary . . . . .	11
References . . . . .	12

Accession For	
NTIS CRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification .....	
By .....	
Distribution /	
Availability Codes	
Dist	Avail and/or Special
A-1	

DTIC QUALITY INSPECTED 1

### List of figures

Figure	Page
1. Distribution of body weights among male and female pilots . . . . .	4

### List of tables

Table	Page
1. Anthropometric limits for disqualification on Class 1 and 1A flight physicals . . . . .	3
2. Distribution of body weight (pounds) among male and female soldiers and aviators . . . . .	6
3. Weight of standard items worn by U.S. Army pilots and crew . . . . .	7
4. Distribution of waist circumference (inches) among male and female soldiers and aviators . . . . .	7
5. Seat crash strength (pounds) under quasi-static loads .	9
6. Seat static test requirements . . . . .	10
7. Maximum weight (pounds) for aircraft seats . . . . .	10

## Introduction

Army aviation provides a flexible and mobile means to project combat power. Every soldier has specific tasks that must be completed to ensure survival and victory on the battlefield. The considerable expense required to train and equip our soldiers makes each a valuable asset. The injury or loss of any soldier represents a significant loss in the battlefield commander's warfighting capacity.

Aviation Life Support Equipment (ALSE) and crashworthy components of new military aircraft have been developed to protect the crew and passengers. However, for these components to work correctly, each user must be within the physical design parameters for the particular component. If an aircrew member or passenger exceeds the design weight and/or size range for the personal protective equipment, the equipment may not function properly. Malfunction of personal protective equipment can permit excess morbidity and/or mortality.

## Background

The weight of a U.S. Army servicemember is regulated in accordance with Army Regulation (AR) 600-9, The Army weight control program, and AR 40-501, Standards of medical fitness (1989). The standard states a male soldier can weigh from a minimum of 100 pounds to a maximum of 250 pounds or up to 26 percent body fat (age 40 and over). A female soldier can weigh from a minimum of 90 pounds to a maximum of 227 pounds or up to 34 percent body fat (age 40 and over). The distribution of body weight for male and female soldiers has been studied by Gordon et al. (1989).

Initial flight physicals for pilots also require applicants to fall between several minimum and maximum anthropometric measures to ensure that they are able to reach the controls in Army aircraft. (Schopper, 1986) These measures and limits are summarized in Table 1.

Table 1.

Anthropometric limits for disqualification  
on Class 1 and 1A flight physicals.

Anthropometric measure	Disqualified if ...
Total arm reach	Less than 164 cm
Crotch height	Less than 75 cm
Sitting height	Greater than 102 cm

Limits on anthropometric measures have resulted in a pilot population with a different body weight distribution from the Army in general.

Most Army aircraft systems and ALSE were designed to accommodate the 5 percent to 95 percent male aviator in relevant anthropometric measures. Today, these measures may be invalid due to aviator selection bias, aging of the pilot population, and an increased number of female pilots. For example, a comparison of body weight for the male and female pilot population groups is presented in Figure 1. As a result of these changes, current ALSE may not fit some of the aircrew at the extremes of anthropometric measures and crashworthy seating may not function properly for an individual with a body weight above or below the design weight.




Figure 1. Distribution of body weights among male and female pilots (Donelson and Gordon, 1991).

This study evaluates body weight distributions for the soldier and aviator populations, currently available ALSE, and design weight limits for aircraft seating. These factors are analyzed to determine body weight design limits and effects of restricting total body weight for passengers and crew in U.S. Army aircraft.

### Materials and methods

#### Soldier and aviator weight distributions

The 1988 anthropometric survey of U.S. Army personnel (Gordon et al., 1989) was used to obtain representative distributions of total body weight for soldiers and aircrew. A separate study of the Aviation Epidemiology Data Registry (AEDR) was used to detect the trend in weight change for aircrew since 1988 and the differences in body weight among active duty, National Guard, and Army Reserve aviators (Shannon, Bruckart, and Mason, 1993).

#### Survey of aviation life support equipment and restraints

The available sizes of personal aviation life support equipment were surveyed. The largest size of each item was examined to determine if persons with a large body weight would have difficulty donning, doffing, or wearing the equipment. The length of the restraint webbing was measured in several aircraft to determine available webbing to accommodate individuals with a large abdominal girth.

#### Survey of aircraft seats and maximum weight calculations

The design strength and static strength for troop and crew seats for each U.S. Army aircraft was determined from the engineering design specifications and prior testing. This included both rigid and energy-absorbing (crashworthy) crew and troop seats. The strength of each seat was divided by the impact load factor (Table 6) to obtain the maximum allowable seat weight using the method specified in the Aircraft crash survival design guide (Zimmermann and Merritt, 1989). The weight of the seat and aviator clothing was subtracted from the maximum allowable seat weight to obtain the calculated maximum nude weight for the seat occupant. The clothing and equipment weights were determined by weighing representative equipment. As specified in the design guide, the maximum nude weight is increased by 25 percent for vertical (downward) impacts to account for the weight of the legs supported by the floor in these crashes.

## Results

### Soldier and aviator weight distributions

The weight distribution for male and female U.S. Army soldier and aviator groups are presented in Table 2.

Table 2.

Distribution of body weight (pounds) among male and female soldiers and aviators.  
(Gordon et al., 1989; Donelson and Gordon, 1991)

	Male soldiers	Female soldiers	Male aviators	Female aviators
Mean	173.0	136.7	175.9	144.1
Standard deviation	24.5	18.4	21.2	18.8
Minimum	104.9	91.0	125.1	102.1
Maximum	281.8	213.1	249.9	212.7
1st %	121.9	99.7	132.5	105.2
5th %	135.8	109.4	143.7	115.8
50th %	171.3	135.0	174.4	142.4
95th %	216.2	169.7	213.8	177.6
99th %	237.5	186.7	228.2	196.2

Study of the AEDR (Shannon, Bruckart, and Mason, 1993) shows the average age of the aviator population has increased since 1988. Along with the increase in age, there has been a corresponding increase in average body weight.

### Aviation life support equipment and restraints

The weight of standard items worn by U.S. Army pilots is shown in Table 3. The largest U.S. Army flight suit (size 48L) will accommodate a waist circumference up to 47 inches. The personal survival vest is adjustable and also accommodates a waist circumference of 47 inches. The UH-60 pilot seat will accommodate an abdominal girth of 48 inches within the seat pan and restraint webbing. The UH-60 crew seat and troop seat will accommodate 54 and 48 inches abdominal girth, respectively. The

pilot seat in the AH-64 will accommodate a 48-inch abdominal girth. The distribution of waist circumference for the Army in general and aviator populations are shown in Table 4 (Gordon et al., 1989, and Donelson and Gordon, 1991).

Table 3.

Weight of standard items worn by U.S. Army pilots and crew.

Item	Weight (pounds)
Flight helmet, SPH-4B	2.9
Flight suit (Nomex coveralls)	3.1
Boots	4.0
Gloves	0.3
Flashlight	0.1
Survival vest, SRU-21/P with contents	7.3
Total	17.7

Table 4.

Distribution of waist circumference (inches) among male and female soldiers and aviators.  
(Gordon et al., 1989; Donelson and Gordon, 1991)

	Male soldiers	Female soldiers	Male aviators	Female aviators
Mean	33.95	31.18	34.98	32.15
Standard deviation	3.40	3.26	2.99	3.53
Minimum	25.75	24.02	27.17	25.20
Maximum	46.65	43.62	46.85	43.27
1st %	27.42	25.36	28.85	25.96
5th %	28.84	26.60	30.16	27.13
50th %	33.68	30.75	34.94	31.73
95th %	40.00	37.26	39.96	38.66
99th %	42.39	40.40	41.59	41.21

## Aircraft seats

The available data on the crash strength of crew and troop seats for Army aircraft are shown in Table 5. The minimum load factor, from MIL-S-58095A, for static seat tests is shown in Table 6. The calculated maximum soldier weight for each aircraft seat is shown in Table 7.

## Discussion

The anthropometric data for the Army in general and aviator groups show that male soldiers are 25 percent heavier on average than female soldiers. Likewise, average body weight increases with age in the male aviator group.

The restraint webbing will accommodate at least 48 inches waist circumference in the UH-60 pilot seat and the AH-64 pilot seat. This is greater than the maximum measured waist circumference (46.85 in) from the Natick anthropometry studies. The largest flight suit and survival vest also will accommodate a soldier with this abdominal girth (up to 47 in).

Only the pilot seats in the UH-60 and AH-64 meet the static strength required by MIL-S-58095A. Most of the other seats fail first with the 35 G load along the X (forward) axis. These older aircraft were designed and fielded with less stringent crash performance designs. In fact, most of these airframes will not maintain structural integrity and livable space when the floor sustains a 35 G crash load. Future aircraft seats are expected to meet or exceed these performance requirements. Therefore, the recommended maximum weight should be based on a seat and aircraft which is expected to maintain a survivable space and environment under a 95th percentile crash loading as stated in the Aircraft crash survival design guide (Zimmermann and Merritt, 1989). The maximum nude weight for the UH-60 and AH-64 pilot should be 238.8 pounds. Pilots that weigh more than 238.8 pounds may experience structural failure of the seat during a mishap with survivable X-axis loads in the UH-60 and AH-64 aircraft.

None of the troop or crew seats match the crash performance of the AH-64 or UH-60 pilot seats. Arguably, most soldier passengers spend only a small amount of time in the aircraft and are exposed to only an infrequent risk from these seats. Crew members that must perform frequent flights are at the greatest risk. In this case, there is no clear milestone on which to base a recommended maximum weight for crew or passengers. Everyone is at risk of seat failure in a crash with significant impact forces.

Table 5.

Seat crash strength (pounds) under quasistatic load.

	Type seat	Rotary-wing					Fixed-wing		
		CH-47	UH-1	OH-58	OH-6	UH-60	AH-64	OV-1	C-12/U-21
Seat weight (lbs)	Pilot	30	135	a	a	115	138	175	30
	Crew	10	12	a	a	18			20
	Troop	10	10	NA	NA	15			20
X-axis load (lbs)	Pilot	2760	6000	4200	3400	13002	13807	16480	2760
	Crew	3900	1680	3000	3000	6000 <sup>b</sup>			2640
	Troop	2000	2000 <sup>c</sup>	NA	NA	6000 <sup>b</sup>			2640
Y-axis load (lbs)	Pilot	2760	3000	2100	1700	7430		8000	700
	Crew	2000	1680	2000	1700	3000 <sup>b</sup>			700
	Troop	2770	2200 <sup>c</sup>	NA	NA	3000 <sup>b</sup>			700
Z-axis load (lbs)	Pilot	2760	2200 <sup>d</sup>	2200 <sup>d</sup>	2200 <sup>d</sup>	2929 <sup>e</sup>	3640 <sup>e</sup>	5000	1200
	Crew	2200 <sup>f</sup>	2200 <sup>f</sup>	5000 <sup>d</sup>	2200 <sup>d</sup>	2929 <sup>e</sup>			
	Troop	2200 <sup>f</sup>	2200 <sup>f</sup>	NA	NA	2929 <sup>e</sup>			

<sup>a</sup> Seat is integral to aircraft structure<sup>b</sup> Exact strength unknown since seats did not pass dynamic qualification tests<sup>c</sup> Side facing troop seat<sup>d</sup> Net cushion "bottoms out" on seat frame<sup>e</sup> 12-inch stroke results in 14.5 G for 170.5-pound occupant<sup>f</sup> Cloth seat rips apart

References: Aerojet-General, 1966; Department of Defense, 1957 and 1965; Desjardin et al., 1989; New, 1974; U.S. Army Research and Development Command, 1980; and U.S. Army Transportation Research Command, 1962

Table 6.

Load factors (G) for static seat tests  
(Department of Defense, 1986; Desjardins et al., 1989).

Loading direction	Pilot seats	Crew & troop seats
Forward (X)	35	30
Lateral (Y)	20	20
Downward (Z)	25	25

Table 7.

Maximum soldier weight (pounds) for aircraft seats.

Aircraft and seat	Seat weight	Strength	Load Factor (G <sub>x</sub> )	Calculated maximum weight*
CH-47 pilot	30	2760	35	31.1
CH-47 crew	10	3900	30	102.3
CH-47 troop	10	2000	30	39.0
UH-1 pilot	135	6000	35	153.7**
UH-1 crew	12	1680	30	26.3
UH-1 troop	10	2000	30	39.0
OH-58 pilot	integral	4200	35	102.3
OH-6 pilot	integral	3400	35	79.4
UH-60 pilot	115	13002	35	238.8
UH-60 crew	18	6000	30	164.3
UH-60 troop	15	6000	30	167.3
AH-64 pilot	138	13807	35	238.8
OV-1 pilot	175	16480	35	278.1***
C-12/U-21 pilot	30	2760	35	31.1
C-12/U-21 crew	20	2640	30	50.3

\*(strength/load factor) - (seat weight + 17.7 lbs equipment weight)

\*\* maximum weight based on strength of floor-attached harness strength, seat weight disregarded.

\*\*\* based on seat crash strength, actual weight limited to 220 lbs for ejection capability.

### Summary

More than 99 percent of Army soldiers and aviators weigh less than 240 pounds and have a waist circumference less than 42.5 inches. Male soldiers are on average 25 percent heavier than female soldiers and average body weight increases with age.

The current flight suit and survival vest will accommodate a waist circumference up to 47 inches. Restraint webbing in UH-60 and AH-64 aircraft should accommodate these individuals.

Pilot seats in the AH-64 and UH-60 are expected to accommodate a 238.8-pound individual with 17.7 additional pounds of clothing and equipment without failure during the static load tests. Seats and aircraft structure from older aircraft will not meet this performance.

Crew and troop seats in all aircraft will not meet the crash performance of the AH-64 and UH-60 pilot seats. All passengers in these seats are at risk of seat failure in severe crashes (greater than 35 G<sub>x</sub>).

## References

- Aerojet-General Corporation. 1966. UH-1B/D armor seat shells, structural test report. Azusa, CA. Report 3340. December.
- Department of Defense. 1986. Seat system: Crash-resistant, non-ejection, aircrew, general specification for. Washington, DC. MIL-S-58095A(AV). January.
- Department of Defense. 1957. Seat, troop, wall-style, cargo aircraft. Washington, DC. MIL-S-5804. September.
- Department of Defense. 1965. Seat, pilot's adjustable, short range aircraft. Washington, DC. MIL-S-5822.
- Department of the Army. 1986. The Army weight control program. Washington, DC. AR 600-9. September.
- Department of the Army. 1991. The Army weight control program. Washington, DC. Interim Change AR 600-9. November.
- Department of the Army. 1989. Standards of medical fitness. Washington, DC. AR 40-501. May.
- Desjardins, S. P., Zimmermann, R. E., Bolukbasi, A. O., and Merritt, N. A. 1989. Aircraft crash survival design guide. Volume IV-aircraft seats, restraints, litters, and cockpit/cabin delethalization. Fort Eustis, VA: Aviation Applied Technology Directorate. USAAVSCOM TR 89-D-22D.
- Donelson, S. M., and Gordon, C. C. 1991. 1988 anthropometric survey of U.S. Army personnel: Pilot summary statistics. Natick, MA: U.S. Army Natick Research, Development and Engineering Center. NATICK/TR-91/040.
- Gordon, C. C., Churchill, T., Clauser, C. E., Bradtmiller B., McConville, J. T., Tebbetts, I., and Walker, R. A. 1989. 1988 anthropometric survey of U.S. Army personnel: Methods and summary statistics. Natick, MA: U.S. Army Natick Research, Development and Engineering Center. NATICK/TR-89/044.
- New, E. 1974. Evaluation of OH-58 seat belt support assembly. Fort Rucker, AL: U.S. Army Aeromedical Research Laboratory. USAARL LR 74-21-3-3.
- Shannon, S. G., Bruckart, J. E., and Mason, K. T. 1993. Aviation epidemiology data registry: Changes in body weight among U.S. Army aviators 1988-1992. Fort Rucker, AL: U.S. Army Aeromedical Research Laboratory. Pending.

Schopper, A. W. 1986. Proportions of overall U.S. Army male and female populations eligible for flying duty: Impact of linear anthropometric screening requirements. Fort Rucker, AL: U.S. Army Aeromedical Research Laboratory. USAARL Report 86-14.

United States Army Research and Development Command. 1980. Seat, crew, armored crashworthy for Black Hawk. Procurement Package 1680-UH-60-000. October.

United States Army Transportation Research Command. 1962. Personnel restraint systems study - HC-1B Chinook. Fort Eustis, VA: AvCir TR 62-26.

Zimmermann, R. E., and Merritt, N. A. 1989. Aircraft crash survival design guide, Volume 1 - design criteria and checklists. Fort Eustis, VA: Aviation Applied Technology Directorate. USAAVSCOM TR 89-D-22A. December.

### Initial distribution

Commander, U.S. Army Natick Research,  
Development and Engineering Center  
ATTN: SATNC-MIL (Documents  
Librarian)  
Natick, MA 01760-5040

U.S. Army Communications-Electronics  
Command  
ATTN: AMSEL-RD-ESA-D  
Fort Monmouth, NJ 07703

Commander/Director  
U.S. Army Combat Surveillance  
and Target Acquisition Lab  
ATTN: DELCS-D  
Fort Monmouth, NJ 07703-5304

Commander  
10th Medical Laboratory  
ATTN: Audiologist  
APO New York 09180

Naval Air Development Center  
Technical Information Division  
Technical Support Detachment  
Warminster, PA 18974

Commanding Officer, Naval Medical  
Research and Development Command  
National Naval Medical Center  
Bethesda, MD 20814-5044

Deputy Director, Defense Research  
and Engineering  
ATTN: Military Assistant  
for Medical and Life Sciences  
Washington, DC 20301-3080

Commander, U.S. Army Research  
Institute of Environmental Medicine  
Natick, MA 01760

Library  
Naval Submarine Medical Research Lab  
Box 900, Naval Sub Base  
Groton, CT 06349-5900

Director, U.S. Army Human  
Engineering Laboratory  
ATTN: Technical Library  
Aberdeen Proving Ground, MD 21005

Commander  
Man-Machine Integration System  
Code 602  
Naval Air Development Center  
Warminster, PA 18974

Commander  
Naval Air Development Center  
ATTN: Code 602-B (Mr. Brindle)  
Warminster, PA 18974

Commanding Officer  
Armstrong Laboratory  
Wright-Patterson  
Air Force Base, OH 45433-6573

Director  
Army Audiology and Speech Center  
Walter Reed Army Medical Center  
Washington, DC 20307-5001

Commander, U.S. Army Institute  
of Dental Research  
ATTN: Jean A. Setterstrom, Ph. D.  
Walter Reed Army Medical Center  
Washington, DC 20307-5300

Commander, U.S. Army Test  
and Evaluation Command  
ATTN: AMSTE-AD-H  
Aberdeen Proving Ground, MD 21005

Naval Air Systems Command  
Technical Air Library 950D  
Room 278, Jefferson Plaza II  
Department of the Navy  
Washington, DC 20361

Director  
U.S. Army Ballistic  
Research Laboratory  
ATTN: DRXBR-OD-ST Tech Reports  
Aberdeen Proving Ground, MD 21005

Commander  
U.S. Army Medical Research  
Institute of Chemical Defense  
ATTN: SGRD-UV-AO  
Aberdeen Proving Ground,  
MD 21010-5425

Commander, U.S. Army Medical  
Research and Development Command  
ATTN: SGRD-RMS (Ms. Madigan)  
Fort Detrick, Frederick, MD 21702-5012

Director  
Walter Reed Army Institute of Research  
Washington, DC 20307-5100

HQ DA (DASG-PSP-O)  
5109 Leesburg Pike  
Falls Church, VA 22041-3258

Harry Diamond Laboratories  
ATTN: Technical Information Branch  
2800 Powder Mill Road  
Adelphi, MD 20783-1197

U.S. Army Materiel Systems  
Analysis Agency  
ATTN: AMXSY-PA (Reports Processing)  
Aberdeen Proving Ground  
MD 21005-5071

U.S. Army Ordnance Center  
and School Library  
Simpson Hall, Building 3071  
Aberdeen Proving Ground, MD 21005

U.S. Army Environmental  
Hygiene Agency  
Building E2100  
Aberdeen Proving Ground, MD 21010

Technical Library Chemical Research  
and Development Center  
Aberdeen Proving Ground, MD  
21010--5423

Commander  
U.S. Army Medical Research  
Institute of Infectious Disease  
SGRD-UIZ-C  
Fort Detrick, Frederick, MD 21702

Director, Biological  
Sciences Division  
Office of Naval Research  
600 North Quincy Street  
Arlington, VA 22217

Commander  
U.S. Army Materiel Command  
ATTN: AMCDE-XS  
5001 Eisenhower Avenue  
Alexandria, VA 22333

Commandant  
U.S. Army Aviation  
Logistics School ATTN: ATSQ-TDN  
Fort Eustis, VA 23604

Headquarters (ATMD)  
U.S. Army Training  
and Doctrine Command  
ATTN: ATBO-M  
Fort Monroe, VA 23651

Structures Laboratory Library  
USARTL-AVSCOM  
NASA Langley Research Center  
Mail Stop 266  
Hampton, VA 23665

Naval Aerospace Medical  
Institute Library  
Building 1953, Code 03L  
Pensacola, FL 32508-5600

Command Surgeon  
HQ USCENTCOM (CCSG)  
U.S. Central Command  
MacDill Air Force Base FL 33608

Air University Library  
(AUL/LSE)  
Maxwell Air Force Base, AL 36112

U.S. Air Force Institute  
of Technology (AFIT/LDEE)  
Building 640, Area B  
Wright-Patterson  
Air Force Base, OH 45433

Henry L. Taylor  
Director, Institute of Aviation  
University of Illinois-Willard Airport  
Savoy, IL 61874

Chief, National Guard Bureau  
ATTN: NGB-ARS (COL Urbauer)  
Room 410, Park Center 4  
4501 Ford Avenue  
Alexandria, VA 22302-1451

Commander  
U.S. Army Aviation Systems Command  
ATTN: SGRD-UAX-AL (LTC Gillette)  
4300 Goodfellow Blvd., Building 105  
St. Louis, MO 63120

U.S. Army Aviation Systems Command  
Library and Information Center Branch  
ATTN: AMSAV-DIL  
4300 Goodfellow Boulevard  
St. Louis, MO 63120

Federal Aviation Administration  
Civil Aeromedical Institute  
Library AAM-400A  
P.O. Box 25082  
Oklahoma City, OK 73125

Commander  
U.S. Army Academy  
of Health Sciences  
ATTN: Library  
Fort Sam Houston, TX 78234

Commander  
U.S. Army Institute of Surgical Research  
ATTN: SGRD-USM (Jan Duke)  
Fort Sam Houston, TX 78234-6200

AAMRL/HEX  
Wright-Patterson  
Air Force Base, OH 45433

John A. Dellinger,  
Southwest Research Institute  
P. O. Box 28510  
San Antonio, TX 78284

Product Manager  
Aviation Life Support Equipment  
ATTN: AMCPM-ALSE  
4300 Goodfellow Boulevard  
St. Louis, MO 63120-1798

Commander  
U.S. Army Aviation  
Systems Command  
ATTN: AMSAV-ED  
4300 Goodfellow Boulevard  
St. Louis, MO 63120

Commanding Officer  
Naval Biodynamics Laboratory  
P.O. Box 24907  
New Orleans, LA 70189-0407

Assistant Commandant  
U.S. Army Field Artillery School  
ATTN: Morris Swott Technical Library  
Fort Sill, OK 73503-0312

Commander  
U.S. Army Aviation Center  
Directorate of Combat Developments  
Building 507  
Fort Rucker, AL 36362

U.S. Army Dugway Proving Ground  
Technical Library, Building 5330  
Dugway, UT 84022

U.S. Army Yuma Proving Ground  
Technical Library  
Yuma, AZ 85364

AFFTC Technical Library  
6510 TW/TSTL  
Edwards Air Force Base,  
CA 93523-5000

Commander  
Code 3431  
Naval Weapons Center  
China Lake, CA 93555

Aeromechanics Laboratory  
U.S. Army Research and Technical Labs  
Ames Research Center, M/S 215-1  
Moffett Field, CA 94035

Sixth U.S. Army  
ATTN: SMA  
Presidio of San Francisco, CA 94129

Commander  
U.S. Army Aeromedical Center  
Fort Rucker, AL 36362

U.S. Air Force School  
of Aerospace Medicine  
Strughold Aeromedical Library Technical  
Reports Section (TSKD)  
Brooks Air Force Base, TX 78235-5301

Dr. Diane Damos  
Department of Human Factors  
ISSM, USC  
Los Angeles, CA 90089-0021

U.S. Army White Sands  
Missile Range  
ATTN: STEWS-IM-ST  
White Sands Missile Range, NM 88002

U.S. Army Aviation Engineering  
Flight Activity  
ATTN: SAVTE-M (Tech Lib) Stop 217  
Edwards Air Force Base, CA 93523-5000

Ms. Sandra G. Hart  
Ames Research Center  
MS 262-3  
Moffett Field, CA 94035

Commander, Letterman Army Institute  
of Research  
ATTN: Medical Research Library  
Presidio of San Francisco, CA 94129

Commander  
U.S. Army Medical Materiel  
Development Activity  
Fort Detrick, Frederick, MD 21702-5009

Commander  
U.S. Army Health Services Command  
ATTN: HSOP-SO  
Fort Sam Houston, TX 78234-6000

U. S. Army Research Institute  
Aviation R&D Activity  
ATTN: PERI-IR  
Fort Rucker, AL 36362

Commander  
U.S. Army Safety Center  
Fort Rucker, AL 36362

U.S. Army Aircraft Development  
Test Activity  
ATTN: STEBG-MP-P  
Cairns Army Air Field  
Fort Rucker, AL 36362

Commander U.S. Army Medical Research  
and Development Command  
ATTN: SGRD-PLC (COL Schnakenberg)  
Fort Detrick, Frederick, MD 21702

MAJ John Wilson  
TRADOC Aviation LO  
Embassy of the United States  
APO New York 09777

Netherlands Army Liaison Office  
Building 602  
Fort Rucker, AL 36362

British Army Liaison Office  
Building 602  
Fort Rucker, AL 36362

Italian Army Liaison Office  
Building 602  
Fort Rucker, AL 36362

Directorate of Training Development  
Building 502  
Fort Rucker, AL 36362

Chief  
USAHEL/USAAVNC Field Office  
P. O. Box 716  
Fort Rucker, AL 36362-5349

Commander U.S. Army Aviation Center  
and Fort Rucker  
ATTN: ATZQ-CG  
Fort Rucker, AL 36362

Chief  
Test & Evaluation Coordinating Board  
Cairns Army Air Field  
Fort Rucker, AL 36362

MAJ Terry Newman  
Canadian Army Liaison Office  
Building 602  
Fort Rucker, AL 36362

German Army Liaison Office  
Building 602  
Fort Rucker, AL 36362

LTC Patrice Cottebrune  
French Army Liaison Office  
USAAVNC (Building 602)  
Fort Rucker, AL 36362-5021

Australian Army Liaison Office  
Building 602  
Fort Rucker, AL 36362

Dr. Garrison Rapmund  
6 Burning Tree Court  
Bethesda, MD 20817

Commandant, Royal Air Force  
Institute of Aviation Medicine  
Farnborough Hampshire GU14 6SZ UK

Commander  
U.S. Army Biomedical Research  
and Development Laboratory  
ATTN: SGRD-UBZ-I  
Fort Detrick, Frederick, MD 21702

Defense Technical Information  
Cameron Station, Building 5  
Alexandra, VA 22304-6145

Commander, U.S. Army Foreign Science  
and Technology Center  
AIFRTA (Davis)  
220 7th Street, NE  
Charlottesville, VA 22901-5396

Director,  
Applied Technology Laboratory  
USARTL-AVSCOM  
ATTN: Library, Building 401  
Fort Eustis, VA 23604

Commander, U.S. Air Force  
Development Test Center  
101 West D Avenue, Suite 117  
Eglin Air Force Base, FL 32542-5495

Commander, U.S. Army Missile  
Command  
Redstone Scientific Information Center  
ATTN: AMSMI-RD-CS-R  
/ILL Documents  
Redstone Arsenal, AL 35898

Dr. H. Dix Christensen  
Bio-Medical Science Building, Room 753  
Post Office Box 26901  
Oklahoma City, OK 73190

Director  
Army Personnel Research Establishment  
Farnborough, Hants GU14 6SZ UK

U.S. Army Research and Technology  
Laboratories (AVSCOM)  
Propulsion Laboratory MS 302-2  
NASA Lewis Research Center  
Cleveland, OH 44135

COL John F. Glenn  
U.S. Army Medical Research  
& Development Command  
SGRD-ZC  
Fort Detrick, Frederick, MD 21702-5012

Dr. Eugene S. Channing  
7985 Schooner Court  
Frederick, MD 21701-3273

LTC Gaylord Lindsey (5)  
USAMRDC Liaison at Academy  
of Health Sciences  
ATTN: HSHA-ZAC-F  
Fort Sam Houston, TX 78234

Aviation Medicine Clinic  
TMC #22, SAAF  
Fort Bragg, NC 28305

Dr. A. Kornfield, President  
Biosearch Company  
3016 Revere Road  
Drexel Hill, PA 29026

NVEOD  
AMSEL-RD-ASID  
(Attn: Trang Bui)  
Fort Belvoir, VA 22060

CA Av Med  
HQ DAAC  
Middle Wallop  
Stockbridge Hants S020 8DY UK

Commander and Director  
USAE Waterways Experiment Station  
ATTN: CEWES-IM-MI-R  
Alfrieda S. Clark, CD Dept.  
3909 Halls Ferry Road  
Vicksburg, MS 39180-6199

Mr. Peter Seib  
Human Engineering Crew Station  
Box 266  
Westland Helicopters Limited  
Yeovil, Somerset BA202YB UK

Dr. Christine Schlichting  
Behavioral Sciences Department  
Box 900, NAVUBASE NLON  
Groton, CT 06349-5900

**COL C. Fred Tyner**  
**U.S. Army Medical Research**  
**& Development Command**  
**SGRD-ZB**  
**Fort Detrick, Frederick, MD 21702-5012**

**Brazilian Army Liaison Office**  
**Building 602**  
**Fort Rucker, AL 36362**